

SHANDONG HUIXIANGDA STEEL CO.,LTD.

Add:Dianzi town Industrial Park, Boxing County, Shandong, China

I. Introduction:

Shandong Huixiangda Steel Co., Ltd. was established in 2011, with a registered capital of RMB 50millions, covering an area of more than 2,500m², as the famous enterprise in Boxing County. It is committed to the production and sales of cold-rolled plate, galvanized plate, 55% aluminum zinc silicon plate, galvanized color coated plate, aluminum zinc color coated steel plate, fingerprint resistant plate, wood grain plate and printing plate. The company always adheres to the enterprise development concept of "quality first, innovation first and service first", and regards product quality as the life of the enterprise. It can produce coated steel plates of various specifications with thickness of 0.10 ~ 1.20MM and width of 500 ~ 1250mm. Its 55% aluminized zinc silicon plate is at the international advanced level, filling the domestic gap, becoming an important guarantee for the future development of enterprises and establishing the position of the industry, and building a business network around the world.

Our Main Products: GI, GL, PPGI and PPGL, PRINTED PPGI&PPGL

Main Overseas Markets:

South Korea, Philippines, Thailand, Sri Lanka, Latin America, Israel, Africa and Middle East market, etc.

II. Production Capacity:

PRODUCTION LINE	QTY. (pc)	ANNUAL OUTPUT (TON)	SPECIFICATION	FEATURES
Galvanized Steel Coil Zero Spangle	1	300,000	Thickness:0.18-0.70mm Width:900-1250mm Zn coating:25-150gsm	1. Easily Paint Coating 2. Good Cold Bending Performance 3. Good Welding Performance 4. Skin passed 5. High Metallic Coating
Galvanized Steel Coil Regular Spangle	1	300,000	Thickness: 0.18-2.50mm Width: 900-1250mm Zn coating: 25-275gsm	1.Good Cold Bending Performance 2. Good Welding Performance 3.Cost-effective
55% Galvalume Steel Coil	1	300,000	Thickness: 0.18-0.70mm Width: 900-1250mm Zn coating: 20-150gsm	1. Easily Paint Coating 2. Good Cold Bending Performance 3. Good Welding Performance 4. Skin passed 5. Cost-effective

Pre-painted Steel Coil (PPGI&PPGL)	1	150,000	Thickness: 0.17-1.20mm Width: 900-1250mm Zn coating: 20-120gsm	<ol style="list-style-type: none"> 1. Korean coating machines; 2. longer and more precise pre-treatment and oven processing 3. Three-roller Reverse Coating Process
---------------------------------------	---	---------	--	--

III. Factory Features& Service:

- A. Quality Warranty (5-10years for normal PE painting)
- B. Fast Delivery Time
- C. High cost-effective
- D. Customized service
- E. Good after-sales service
- F. Professional technical supports
- G. Rich export experience

IV. Laboratory:



V. Products for sale Overview:


1. GI with Zero spangle

Marketing Manager: **Henry Wang**


Email: huixiangdasteel@gmail.com

Wechat: 110757451


Whatsapp/Line/Mobile: +8617664014913





2. GI with regular spangle



3. 55%GL(Galvalume)



4. PPGI&PPGL



5. Printed Color Coated Steel



6. Embossed Color Coated Steel



压花板1



压花板2



压花板3




压花板4



压花板5



压花板6



压花板7




压花板8



压花板9

7. MATT Color Coated Steel



VI. EX-Factory Inspection Report and Pre-shipment Inspection

I am not only the marketing of manufacturers, but also the supervisor of customers.

一. Ex-Factory Inspection:

Standard: ASTM A792M JIS G3312 EN-10346

1. **Paint Color:** RAL NO. Customer Sample

Color Difference:

Marketing Manager: **Henry Wang**

Email: huixiangdasteel@gmail.com

Wechat: 110757451

Whatsapp/Line/Mobile: +8617664014913



2. **Paint Coating:** Top Coating: Micron

Back Coating: Micron




3. **Thickness:** Micron



4. **Package:** OK

NO



二. Pre-shipment Inspection:



Container No.: _____ OK

Seal NO.: _____ OK